

# Package: dlstats (via r-universe)

September 2, 2024

**Title** Download Stats of R Packages

**Version** 0.1.7

**Maintainer** Guangchuang Yu <guangchuangyu@gmail.com>

**Description** Monthly download stats of 'CRAN' and 'Bioconductor' packages. Download stats of 'CRAN' packages is from the 'RStudio' 'CRAN mirror', see <<https://cranlogs.r-pkg.org:443>>. 'Bioconductor' package download stats is at <<https://bioconductor.org/packages/stats/>>.

**Depends** R (>= 3.3.0)

**Imports** ggplot2, jsonlite, magrittr, RColorBrewer, scales, utils

**Suggests** knitr, tidyr, DT, rmarkdown, prettydoc

**License** Artistic-2.0

**VignetteBuilder** knitr

**ByteCompile** true

**Encoding** UTF-8

**URL** <https://github.com/GuangchuangYu/dlstats>

**BugReports** <https://github.com/GuangchuangYu/dlstats/issues>

**RoxygenNote** 7.3.0

**Repository** <https://guangchuangyu.r-universe.dev>

**RemoteUrl** <https://github.com/guangchuangyu/dlstats>

**RemoteRef** HEAD

**RemoteSha** 39f89e53ec4035729676c82db12b634204ac099e

## Contents

biocApp . . . . .	2
bioc_stats . . . . .	2
cranApp . . . . .	3
cran_stats . . . . .	3

plot_bioc_stats . . . . .	4
plot_cran_stats . . . . .	5
set_cran_start_year . . . . .	5

<b>Index</b>	<b>6</b>
--------------	----------

---

biocApp	<i>biocApp</i>
---------	----------------

---

### Description

run shiny App for BioC packages

### Usage

```
biocApp()
```

### Author(s)

Guangchuang Yu

---

bioc_stats	<i>bioc_stats</i>
------------	-------------------

---

### Description

monthly download stats of Bioconductor package(s)

### Usage

```
bioc_stats(packages, use_cache = TRUE, type = "Software")
```

### Arguments

packages	packages
use_cache	logical, should cached data be used? Default: TRUE. If set to FALSE, it will re-query download stats and update cache.
type	one of "Software", "AnnotationData", "ExperimentData", and "Workflow"

### Value

data.frame

### Author(s)

Guangchuang Yu

**Examples**

```
## Not run:
library("dlstats")
pkgs <- c("ChIPseeker", "clusterProfiler", "DOSE", "ggtree", "GOsemSim", "ReactomePA")
y <- bioc_stats(pkgs, use_cache=TRUE)
head(y)

## End(Not run)
```

---

cranApp	<i>cranApp</i>
---------	----------------

---

**Description**

run shiny App for CRAN packages

**Usage**

```
cranApp()
```

**Author(s)**

Guangchuang Yu

---

cran_stats	<i>cran_stats</i>
------------	-------------------

---

**Description**

monthly download stats of cran package(s)

**Usage**

```
cran_stats(packages, use_cache = TRUE)
```

**Arguments**

packages	packages
use_cache	logical, should cached data be used? Default: TRUE. If set to FALSE, it will re-query download stats and update cache.

**Value**

data.frame

**Author(s)**

Guangchuang Yu

**Examples**

```
## Not run:  
library("dlstats")  
x <- cran_stats(c("dlstats", "emojifont", "rvcheck"), use_cache=TRUE)  
head(x)  
  
## End(Not run)
```

---

`plot_bioc_stats`      *plot\_bioc\_stats*

---

**Description**

plot bioconductor download stats

**Usage**

```
plot_bioc_stats(pkg = YGC_bioc_pkg)
```

**Arguments**

`pkg`                    packages

**Value**

ggplot object

**Author(s)**

guangchuang yu

---

*plot\_cran\_stats*      *plot\_cran\_stats*

---

**Description**

plot cran download stats

**Usage**

`plot_cran_stats(pkg = YGC_cran_pkg)`

**Arguments**

`pkg`                      packages

**Value**

ggplot object

**Author(s)**

guangchuang yu

---

*set\_cran\_start\_year*      *set\_cran\_start\_year*

---

**Description**

set query start year for 'cran\_stats'

**Usage**

`set_cran_start_year(year)`

**Arguments**

`year`                      start year

**Author(s)**

Guangchuang Yu

# Index

bioc\_stats, [2](#)

biocApp, [2](#)

cran\_stats, [3](#)

cranApp, [3](#)

plot\_bioc\_stats, [4](#)

plot\_cran\_stats, [5](#)

set\_cran\_start\_year, [5](#)